

CLAIMS

1 1. A liner system for a truck having a truck bed and a pair of wheel
2 wells, said system comprising:

3 a molded plastic liner portion dimensioned to be received into and
4 operative to cover a portion of the truck bed, said liner having:

5 a floor and a pair of side walls, said side walls extending
6 upwardly from said floor, said floor having a longitudinal centerline,
7 said liner further having a pair of spaced apart end panel portions, one
8 of said panel portions extending along said wheel well, said pair of
9 panel portions extending upwardly from said floor and inwardly from
10 each of said pair of side walls to define a cargo bin having an open side;
11 and

12 at least one containment member selectably attachable to said
13 cargo bin extending across said open side, said containment member
14 operative to restrain objects contained within said cargo bin from
15 movement toward the centerline of the floor.

1 2. The system of claim 1 wherein the floor further comprises at
2 least one recessed portion adapted to receive a partition mounting member.

1 3. The system of claim 2 wherein said partition mounting member
2 includes a plurality of apertures for receiving complementary mounting
3 fasteners disposed on a partition.

1 4. The system of claim 1 wherein another of said pair of panel
2 portions at distal ends of said two sidewalls forms a front wall adjacent a
3 passenger compartment of the truck.

1 5. The system of claim 1 wherein said at least one containment
2 member is formed of a mesh netting material.

1 6. The system of claim 1 wherein said at least one containment
2 member is a molded plastic panel adapted for complementary tongue and
3 groove engagement with said open side.

1 7. The system of claim 1 wherein at least one of said cargo bins is
2 adapted to receive a cooler.

3

4 8. The system of claim 2 wherein said partition mounting member
5 has a top surface extending at or below the floor.

6

7 9. A liner system for a truck having a truck bed and a pair of wheel
8 wells, said system comprising:

9 a molded plastic liner portion dimensioned to be received into and
10 operative to cover a portion of the truck bed, said liner having:

11 a floor and a pair of side walls, said side walls extending
12 upwardly from said floor, said floor having a longitudinal centerline,
13 said liner further having a pair of spaced apart end panel portions, one
14 of said end panel portions extending along said wheel well, said pair of
15 panel portions extending upwardly from said floor and inwardly from
16 each of said pair of side walls to define a cargo bin having an open side;
17 at least one containment member selectably attachable to said
18 cargo bin extending across said open side, said containment member
19 operative to restrain objects contained within said cargo bin from
20 movement toward the centerline of the floor; and
21 at least one recessed portion adapted to receive a partition
22 mounting member having a plurality of apertures for receiving
23 complementary mounting fasteners disposed on a partition.
24